

## Product Data Sheet


### LED dotless striplight 526mm - 3000k

Part No: UCLED2-526-3K

- High quality even light distribution
- Linkable
- Switched
- Includes mains lead and fixing brackets
- Integral driver







## Technical Specification

|                           |                      |
|---------------------------|----------------------|
| <b>Part No</b>            | <b>UCLED2-526-3K</b> |
| <b>Lumens</b>             | 680                  |
| <b>CCT</b>                | 3000                 |
| <b>Colour Temperature</b> | Warm White           |

|                             |               |
|-----------------------------|---------------|
| <b>Finish</b>               | White         |
| <b>Voltage</b>              | 240           |
| <b>Wattage</b>              | 8             |
| <b>CRI</b>                  | 80            |
| <b>IP Rating</b>            | 20            |
| <b>Dimmable</b>             | N             |
| <b>Connector Type</b>       | Bare End      |
| <b>Length</b>               | 526           |
| <b>Width</b>                | 23            |
| <b>Depth</b>                | 35            |
| <b>Class 1 or 2 or 3</b>    | II            |
| <b>Material / Made From</b> | Plastic       |
| <b>EAN</b>                  | 5055530822719 |
| <b>Unit of sale</b>         | 1             |
| <b>Price</b>                | each          |

#### Notes